

SEQUENCE LISTING

<110> Glenn, Jeffrey
 <120> Method for Inhibition of Viral Morphogenesis
 <130> 240042052403
 <140> To be assigned
 <141> Herewith
 <150> US 07/890,754
 <151> 1992-05-29
 <150> PCT/US93/05247
 <151> 1993-06-01
 <150> US 08/347,448
 <151> 1995-06-23
 <150> US 09/028,655
 <151> 1999-02-24
 <160> 6
 <170> FastSEQ for Windows Version 4.0
 <210> 1
 <211> 4
 <212> PRT
 <213> Artificial Sequence
 <220>
 <221> VARIANT
 <222> 2,3,4
 <223> Xaa = Any amino acid
 <223> consensus sequence for directing protein
 prenylation
 <400> 1
 Cys Xaa Xaa Xaa
 1
 <210> 2
 <211> 4
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> consensus sequence for directing protein
 prenylation
 <400> 2
 Cys Arg Pro Gln
 1

<210> 3
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <221> VARIANT
 <222> 4
 <223> Xaa = Any amino acid

<223> consensus sequence for directing protein
 prenylation

<400> 3
 Cys Ala Ala Xaa
 1

<210> 4
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <221> VARIANT
 <222> 1,3,4
 <223> Xaa = Any amino acid

<223> consensus sequence for directing protein
 prenylation

<400> 4
 Xaa Cys Xaa Xaa
 1

<210> 5
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <221> VARIANT
 <222> 1,2,4
 <223> Xaa = Any amino acid

<223> consensus sequence for directing protein
 prenylation

<400> 5
 Xaa Xaa Cys Xaa
 1

<210> 6
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>

20

<223> Xaa = Any amino acid

1

These authors have shown that the β -phase of the PbTiO_3 is a ferroelectric phase with a spontaneous polarization of 0.07 C/m^2 and a dielectric constant of 1000 . The β -phase is a ferroelectric phase with a spontaneous polarization of 0.07 C/m^2 and a dielectric constant of 1000 .